

Safety Data Sheet

HYDROGEN PEROXIDE 15%

Safety Data Sheet dated 6/11/2015, version 1

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: HYDROGEN PEROXIDE 15%

Other means of identification:

CAS number: 7722-84-1

EC number: 231-765-0

Index 67/548/EEC: 008-003-00-9

Product codes:

10-123-0237, 10-123-0473, 10-123-0946

Recommended use of the chemical and restrictions on use

Recommended use:

FOR PROFESSIONAL USE

Restrictions on use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

Enartis USA Inc.

7795 Bell Road

Windsor

CA 95492

Competent person responsible for the safety data sheet:

compliance@enartisvinquiry.com

Emergency phone number

Phone: +1 (707) 838 6312

Fax: +1 (707) 838 1765

2. HAZARD(S) IDENTIFICATION

Classification of the chemical

⚠ Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Label elements

Symbols:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Safety Data Sheet

HYDROGEN PEROXIDE 15%

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Hazards not otherwise classified identified during the classification process:

None

Ingredient(s) with unknown acute toxicity:

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 15% - < 20% Hydrogen Peroxide

REACH No.: 01-2119485845-22-XXXX, Index number: 008-003-00-9, CAS: 7722-84-1, EC: 231-765-0

⚠ B.13/1 Ox. Liq. 1 H271

⚠ A.2/1A Skin Corr. 1A H314

⚠ A.1/4/Oral Acute Tox. 4 H302

⚠ A.1/4/Inhal Acute Tox. 4 H332

4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Safety Data Sheet

HYDROGEN PEROXIDE 15%

Do not inhale explosion and combustion gases.
Hazardous combustion products:
None
Explosive properties: N.A.
Oxidizing properties: N.A.
Special protective equipment and precautions for fire-fighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures
Wear personal protection equipment.
Remove all sources of ignition.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.
Provide adequate ventilation.
Remove persons to safety.
Use appropriate respiratory protection.
See protective measures under point 7 and 8.
Methods and materials for containment and cleaning up
Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Do not use on extensive surface areas in premises where there are occupants.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
Conditions for safe storage, including any incompatibilities
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
Storage temperature:
Store at below 7 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters
Hydrogen Peroxide - CAS: 7722-84-1
ACGIH - STE: 1 ppm
OSHA - LTE: 1 ppm - STE: 1.4 mg/m3
Appropriate engineering controls:
None
Individual protection measures
Eye protection:
Eye glasses with side protection.
Protection for skin:
Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or

Safety Data Sheet

HYDROGEN PEROXIDE 15%

viton.

Protection for hands:

Use protective gloves that provides comprehensive protection.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	Liquid
Odour:	None
Odour threshold:	N.A.
pH:	± 3.3
Melting point / freezing point:	-25°C (-13F)
Initial boiling point and boiling range:	108°C (226F)
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	1.17
Flash point:	N.A. °F
Evaporation rate:	N.A.
Vapour pressure:	25 mm Hg 30°C (86F)
Relative density:	1.11
Solubility in water:	100%
Solubility in oil:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	N.A.
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions

It may generate flammable gases on contact with nitrides.

It may generate toxic gases on contact with aliphatic and aromatic amines, carbamates, dithiocarbamates, mercaptans and other organic sulphides, nitriles, inorganic sulphides, and combustible and inflammable materials.

It may catch fire on contact with alcohols and glycols, azo, diazo and hydrazines compounds, carbamates, dithiocarbamates, mercaptans and other organic sulphides, nitrides, and combustible and inflammable materials.

None

Conditions to avoid

Stable under normal conditions.

Incompatible materials

Zinc, Powdered metals, Iron, Copper, Nickel, Brass, Iron and iron salts.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

HP123/1

Page n. 4 of 8

Safety Data Sheet

HYDROGEN PEROXIDE 15%

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

Hydrogen Peroxide - CAS: 7722-84-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 376 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 2.000 mg/m³

Test: LD50 - Route: Skin - Species: Rat = 4.060 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

None.

Substance(s) listed on the IARC Monographs:

Hydrogen Peroxide - Group 3.

Substance(s) listed as OSHA Carcinogen(s):

None.

Substance(s) listed as NIOSH Carcinogen(s):

None.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Hydrogen Peroxide - CAS: 7722-84-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 22 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 24 mg/l - Duration h: 48

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number

ADR-UN Number: 2014

DOT number: UN2014

IATA-UN Number: 2014

IMDG-UN Number: 2014

UN proper shipping name

ADR-Shipping Name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (

DOT-Shipping Name: Hydrogen peroxide, aqueous solutions with not less than 20 percent but not more than 40 percent hydrogen peroxide (stabilized as necessary)

Safety Data Sheet

HYDROGEN PEROXIDE 15%

IATA-Shipping Name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (
IMDG-Shipping Name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (
Transport hazard class(es)			
ADR-Class:	5.1		
DOT Hazard Class:	5.1		
ADR - Hazard identification number:	58		
IATA-Class:	5.1		
IATA-Label:	5.1 + 8		
IMDG-Class:	5.1		
Packing group			
ADR-Packing Group:	II		
DOT Packing group:	II		
IATA-Packing group:	II		
IMDG-Packing group:	II		
Environmental hazards			
ADR-Enviromental Pollutant:	No		
IMDG-Marine pollutant:	No		
Most important toxic component:	HYDROGEN PEROXIDE 15%		
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)	N.A.		
Special precautions			
DOT Special provisions:	A2, A3, A6, B53, IB2, IP5, T7,		
DOT Labels:	5.1,8		
ADR-Subsidiary risks:	8		
ADR-S.P.:	-		
ADR-Tunnel Restriction Code:	(E)		
IATA-Passenger Aircraft:	550		
IATA-Subsidiary risks:	8		
IATA-Cargo Aircraft:	554		
IATA-S.P.:	-		
IATA-ERG:	5C		
IMDG-EmS:	F-H , S-Q		
IMDG-Subsidiary risks:	8		
IMDG-Storage category:	Category D		
IMDG-Storage notes:	Protected from sources of heat. "Separated from" permanganates and class 4.1. See 7.2.6.3.2.		

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

TSCA listed substances:

None.

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: Hydrogen Peroxide.

Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: no substances listed.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

CAA - Clean Air Act

CAA listed substances:

None.

CWA - Clean Water Act

CWA listed substances:

None.

Safety Data Sheet

HYDROGEN PEROXIDE 15%

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:
None.

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:
Hydrogen Peroxide.

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:
Hydrogen Peroxide.

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:
Hydrogen Peroxide.

16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H271 May cause fire or explosion; strong oxidiser.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

Safety Data Sheet dated 6/11/2015, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health
NTP:	National Toxicology Program



Safety Data Sheet

HYDROGEN PEROXIDE 15%

OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).